UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/632,749	08/01/2003	Hiroyuki Azuma	NEC 03P101	4659
27667 HAYES SOLO	7590 07/21/200 WAY P.C.	8	EXAMINER	
3450 E. SUNRI	SE DRIVE, SUITE 14		SOBUTKA, PHILIP	
TUCSON, AZ 85718			ART UNIT	PAPER NUMBER
			2618	
			MAIL DATE	DELIVERY MODE
			07/21/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Appli	cation No.	Applicant(s)		
			2,749	AZUMA, HIRO	AZUMA, HIROYUKI	
Office Action Summary		Exam	iner	Art Unit		
		PHILII	⊃ J. SOBUTKA	2618		
<i>The MAIL</i> Period for Reply	ING DATE of this commu	nication appears or	the cover sheet	with the correspondence	e address	
A SHORTENED WHICHEVER IS - Extensions of time m after SIX (6) MONTH - If NO period for reply - Failure to reply withir Any reply received b	STATUTORY PERIOD F LONGER, FROM THE May be available under the provision IS from the mailing date of this com is specified above, the maximum so the set or extended period for reply the Office later than three months djustment. See 37 CFR 1.704(b).	MAILING DATE OF s of 37 CFR 1.136(a). In r munication. tatutory period will apply a y will, by statute, cause the	THIS COMMUN no event, however, may nd will expire SIX (6) Mo a application to become	NICATION. a reply be timely filed ONTHS from the mailing date of t ABANDONED (35 U.S.C. § 133)	this communication.	
Status						
2a)⊠ This action 3)⊡ Since this	e to communication(s) filents is FINAL. application is in condition accordance with the pract	2b)⊡ This action for allowance exc	is non-final. ept for formal ma	•	o the merits is	
Disposition of Clair	ns					
4a) Of the a 5) ☐ Claim(s) _ 6) ☑ Claim(s) 2 7) ☐ Claim(s) _ 8) ☐ Claim(s) _ Application Papers 9) ☐ The specifi	O-38 is/are pending in the above claim(s) is/a is/a is/a is/are allowed. O-38 is/are rejected is/are objected to are subject to restrict cation is objected to by the g(s) filed on 11 May 2006.	are withdrawn from ction and/or election	on requirement.	ected to by the Examin	er.	
Replaceme	ay not request that any objent drawing sheet(s) including the declaration is objected t	g the correction is re	quired if the drawir	ng(s) is objected to. See 3	7 CFR 1.121(d).	
Priority under 35 U	.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
2) D Notice of Draftsper	es Cited (PTO-892) son's Patent Drawing Review (sure Statement(s) (PTO/SB/08) ate	PTO-948)	Paper N	v Summary (PTO-413) o(s)/Mail Date f Informal Patent Application 		

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 20-34 are rejected under 35 U.S.C. 102(b) as being anticipated by Simpson et al (US 5,404,580).

Claim 20. Simpson teaches an external module (smart card) for installation into a mobile communication terminal (Abstract, column 4 lines 49-52), said external module comprising:

a collection mechanism (the internal control logic attached to the keypad interface) for communicating with said mobile communication terminal to collect information from said mobile terminal relating to an internal state of said mobile communication terminal during execution of a communication protocol sequence (Column 6 lines 48-68, column 7 lines 1-2), and

a storage mechanism for storing therein information that has been collected by said collection mechanism (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

As to claim 21, Simpson teaches an external module according to claim 20, further comprising: protocol execution mechanism for requesting said mobile

communication terminal to execute a communication protocol sequence (Column 4 lines 53-56, where Simpson et al. describe a registration request).

Page 3

As to claim 22, Simpson teaches an external module according to claim 21, wherein said protocol execution mechanism includes a mechanism for requesting the execution of said communication protocol sequence based on information that has been stored in said storage mechanism (Column 4 lines 53-56, where Simpson et al. disclose a subscriber validation code).

As to claim 23, Simpson teaches an external module according to claim 21, wherein said communication protocol sequence is a communication protocol sequence that is performed by radio between a mobile communication terminal and a base station (Column 4 lines 53-56).

As to claim 24, Simpson teaches an external module according to claim 20, further comprising stored information processing mechanism (microprocessor) for processing information that has been stored in said storage mechanism (Column 4 lines 53-56.

As to claim 25, Simpson teaches an external module according to claim 24, wherein said protocol execution mechanism includes a mechanism for requesting the execution of a communication protocol sequence (registration) based on information that has been processed by said stored information processing mechanism (Column 4 lines 53-56).

As to claim 26, Simpson teaches an external module according to claim 20, wherein said external module is any one of a SIM card, a USIM card, and an IC card having higher specifications than a SIM card or USIM card (abstract, column 2, lines 28-36).

Consider claim 27. Simpson teaches a mobile communication terminal into which an external module is installed (Abstract, column 4 lines 49-52), said mobile communication terminal comprising:

an acquisition mechanism (the internal control logic attached to the keypad) for acquiring information from said mobile terminal relating to an internal state of said mobile communication terminal during execution of a communication protocol sequence (Column 6 lines 48-68, column 7 lines 1-2) and

an output mechanism for supplying information that has been acquired by said acquisition mechanism to said external module where the information is stored (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122).

Consider claim 28. Simpson teaches a mobile communication system comprising:

a mobile communication terminal (abstract); and

an external module for installation into said mobile communication terminal (Abstract, column 4 lines 49-52);

wherein said mobile communication terminal comprises:

an acquisition mechanism for acquiring information from said mobile terminal relating to an internal state of said mobile communication terminal during execution of a communication protocol sequence (Column 6 lines 48-68, column 7 lines 1-2) and

an output mechanism (the internal control logic attached to the keypad and microprocessor) for supplying information that has been acquired by said acquisition mechanism to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122);

and wherein said external module comprises:

a collection mechanism for collecting information from said mobile terminal that has been supplied by said output mechanism of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2); and

a storage mechanism for storing therein information that has been collected by said collection mechanism (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

Consider claim 29. Simpson teaches a method for testing communication protocol in a mobile communication terminal (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4), an external module being installed into said mobile communication terminal (Abstract, column 4 lines 49-52), said method comprising the steps of:

requesting said mobile communication terminal, by said external module, to execute a communication protocol sequence Column 4 lines 53-56, where Simpson et al. describe a registration request);

executing, by said mobile communication terminal, said communication protocol sequence in accordance with said request by Said external module (Column 4 lines 56-57, where Simpson et al. disclose a registered subscriber);

acquiring, from said mobile communication terminal (the internal control logic attached to the keypad), information relating to an internal state of said mobile communication terminal during execution of a communication protocol sequence (Column 6 lines 48-68, column 7 lines 1-2);

supplying, by said mobile communication terminal, the acquired information to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122); collecting, by said external module, information that has been supplied by said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2); and storing, in said external module, the collected information (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

As to claim 30, Simpson teaches an method according to claim 29, wherein said step of requesting to execute said communication protocol sequence includes requesting, by said external module to execute said communication protocol sequence based on information that is stored (Column 4 lines 53-56, where Simpson et al. disclose a subscriber validation code).

As to claim 31, Simpson teaches an method according to claim 29, wherein said step of executing said communication protocol sequence includes execution by said mobile communication terminal of a communication protocol sequence by radio with a base station (Column 4 lines 53-56).

As to claim 32, Simpson teaches a method according to claim 29, further comprising a step of processing information that is stored in said external module (Column 4 lines 49-56).

As to claim 33, Simpson teaches an method according to claim 32, wherein said step of executing said communication protocol sequence includes requesting, by said external module, execution of a communication protocol sequence based on information that has been processed (Column 4 lines 53-57).

As to claim 34, Simpson teaches an method according to claim 29, wherein said external module is any one of a SIM card, a USIM card, and an IC card having higher specifications than a SIM card or a USIM card (abstract, column 2, lines 28-36).

3. Claims 35-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Simpson et al (US 5,404,580) in view of Rimpela et al (US 6,697,604).

Consider claim 35, Simpson et al. disclose an external module for installation in a mobile communication terminal (Abstract, column 4 lines 49-52), said external module comprising;

Page 8

a program execution unit (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4, where Simpson et al. disclose enhancing a service card);

a collection mechanism for communicating with said mobile communication terminal to collect information from said mobile terminal relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2) and

a storage mechanism for storing therein information that has been collected by said collection mechanism (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

However, Simpson et al. do not disclose collecting during execution of test programs on said test program execution unit. Rimpela et al. disclose collecting during execution of test programs on said test program execution unit (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to collect information during execution of test programs on the test program execution unit, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al. in column 5 lines 33-45).

Consider claim 36, Simpson et al. disclose a mobile communication terminal in which an external module for executing test programs is installed (Abstract, column 4 lines 49-52), said mobile terminal comprising:

an acquisition mechanism for acquiring information from said mobile terminal relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation i.e. information relating to the internal state); and

Page 9

an output mechanism for supplying information that has been acquired by said acquisition mechanism to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122).

However, Simpson et al. do not specifically disclose acquiring during said test programs. Rimpela et al. disclose acquiring information during the test programs (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to acquire information during the test programs, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al. in column 5 lines 33-45).

Consider claim 37, Simpson et al. disclose a mobile communication system comprising

a mobile communication terminal; and

an external module for installation in said mobile communication terminal (Abstract, column 4 lines 49-52);

wherein said mobile communication terminal comprises:

an acquisition mechanism for acquiring information from said mobile terminal relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation i.e. information relating to the internal state); and

an output mechanism for supplying information that has been acquired by said acquisition mechanism to said external module (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 122);

and wherein said external module comprises:

a program execution unit for performing programs (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4);

a collection mechanism for collecting information from said mobile terminal that has been supplied by said output mechanism of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2); and

a storage mechanism for storing therein information that has been collected by said collection means (Column 6 lines 48-68, column 7 lines 1-2, figure 3 element 132).

However, Simpson et al. do not specifically disclose collecting information for test programs on said program execution unit. Rimpela et al. disclose collecting information for test programs on said test program execution unit (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to collecting information for test

programs, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al. in column 5 lines 33-45).

Consider claim 38, Simpson et al. disclose a method for communication by executing programs in a mobile communication terminal (Column 1 lines 16-30, column 2 lines 65-68, column 3 lines 1-4), an external module being installed in said mobile communication terminal (Abstract, column 4 lines 49-52), said method comprising steps of:

requesting said mobile communication terminal, by said external module, to execute a communication protocol sequence (Column 4 lines 53- 57);

executing, by said mobile communication terminal, said communication protocol sequence in accordance with said request by said external module (Column 4 lines 53-57);

acquiring, from said mobile communication terminal, information relating to the internal state of said mobile communication terminal (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state));

supplying, by said mobile communication terminal, the acquired information to said external module (Column 6 lines 48-68, column 7 lines 1-2, where Simpson et al. disclose customizing the operation (information relating to the internal state) and this information is stored on the SIM card);

Application/Control Number: 10/632,749 Page 12

Art Unit: 2618

collecting, by said external module, information that has been supplied by said mobile communication terminal as part of said program (Column 6 lines 48-68, column 7 lines 1-2); and

storing, in said external module, the collected information from said program (Column 6 lines 48- 68, column 7 lines 1-2, figure 3 element 132).

However, Simpson et al. do not specifically disclose collecting information for test programs. Rimpela et al. disclose collecting information for test programs (Abstract, column 6 lines 26-36, column 8 lines 53-63, column 10 line 46-column 11 line 12, where Rimpela et al. disclose running tests on a control block). Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to collect information for test programs, as taught by Rimpela et al., in the method of Simpson et al. for the purpose of determining and controlling delays, data to be transmitted and desired functions of the mobile station (as suggested by Rimpela et al in column 5, lines 33-45).

Response to Amendment

4. Applicant's arguments filed March 31, 2008 have been fully considered but they are not persuasive.

Applicant argues that the keypad is not an internal collection mechanism, however clearly the microprocessor coupled to the keypad is an internal mechanism, which collects the information including that entered by the user. Does the applicant mean to suggest that the claimed internal collection mechanism would not collect information entered by the user? If so, this limitation should be present in the claims.

Application/Control Number: 10/632,749 Page 13

Art Unit: 2618

Conclusion

5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

- 7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip J Sobutka whose telephone number is 571-272-7887. The examiner can normally be reached on Monday Friday, 8:30am 5:00pm.
- 8. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on 571-272-4177.
- 9. The central fax phone number for the Office is 571-273-8300.

Application/Control Number: 10/632,749 Page 14

Art Unit: 2618

Most facsimile-transmitted patent application related correspondence is required to be sent to the Central FAX Number.

CENTRALIZED DELIVERY POLICY: For patent related correspondence, hand carry deliveries must be made to the Customer Service Window (now located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314), and facsimile transmissions must be sent to the Central FAX number, unless an exception applies. For example, if the examiner has rejected claims in a regular U.S. patent application, and the reply to the examiner's Office action is desired to be transmitted by facsimile rather than mailed, the reply must be sent to the Central FAX Number.

10. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Philip J Sobutka/ Primary Examiner, Art Unit 2618

(571) 272-7887